



Załącznik nr 1

Specyfikacja do postępowania PRC 08 2023

1. Defibrylator Philips RFX w skrzynce PELI lub równoważne – 2 szt.

Dane techniczne:

Wersja : półautomatyczny

Fala defibrylacji : dwufazowa, dostosowana do impedancji pacjenta

Energia wstrząsu : dorośli 150 J, dzieci 50 J

Wsparcie RKO : Komendy głosowe

Zasilanie : bateria

Pojemność baterii : minimum 200 defibrylacji lub 4 godziny pracy

Okres trwałości baterii : 4 lata

Okres trwałości elektrod: co najmniej 2 lata od daty zakupu

Tryb dziecięcy : przełączenie urządzenia za pomocą klucza w tryb pediatryczny

Język komunikatów : j. polski

Komunikacja : bezprzewodowa transmisja danych do komputera

Przechowywanie danych : zapis pierwszych 15 minut EKG oraz zdarzeń i decyzji podejmowanych w wyniku analizy stanu pacjenta w czasie całego incydentu

Ciężar : 1.6 kg

Wymiary : 6 x 18 x 22 cm

Stopień ochrony IP : IP55

Zakres temperatury pracy : 0 – 50°C

Gwarancja producenta : 8 lat

Uwagi : możliwość pracy w trybie szkoleniowym z dodatkowymi elektrodami szkoleniowymi

Opakowanie: skrzynka PELI lub równoważna



2. Parawan medyczny – 6 szt.

Dane techniczne:

Typ: czteroskrzydłowy, szerokość skrzydła 50-70 cm,

Wysokość: min. 165 cm

Kolor: biały



Zdjęcie poglądowe



Appendix 1

Specification for the procedure PRC_08_2023

1. Philips RFX in PELI box defibrillator or equivalent - 2 pcs

Technical data:

Version : semi-automatic

Defibrillation waveform: biphasic, adapted to the patient's impedance

Shock energy: adults 150 J, children 50 J

CPR support : Voice commands

Power: battery

Battery capacity: minimum 200 shocks or 4 hours of operation

Battery life: 4 years

Shelf life of electrodes: at least 2 years from the date of purchase

Pediatric mode : switch the device to pediatric mode with a key

Message language: Polish

Communication: wireless data transmission to a computer

Data storage: record of the first 15 minutes of ECG and events and decisions made as a result of the analysis of the patient's condition throughout the incident

Weight : 1.6 kg

Dimensions: 6 x 18 x 22 cm

IP degree of protection: IP55

Operating temperature range: 0 - 50°C

Manufacturer's warranty: 8 years

Notes: Ability to work in training mode with additional training electrodes

Package: PELI box, **or equivalent**



2. Medical screen - 6 pcs.

Technical data:

Type: four-leaf, wing width 50-70 cm,

Height: min. 165 cm

White color



Illustrative photo